

STU-1K

"STU-1K": Tension load cells for the suspended loads weighing



Tension/Compression load cells, suitable for weighing in tension suspended loads and as overload checking and limitation, or for compression use in the creation of weighing systems with various load cells.

CAPACITIES (kg): 2000, 5000, 8000, 10000.

OIML R60. C3 precision class.

Stainless steel. IP68 protection.

**The best solution
for advanced industrial
applications**

MAIN FEATURES

- C3 PRECISION CLASS
- STAINLESS STEEL CONSTRUCTION
- IP68 PROTECTION LEVEL
- MAX. CAPACITIES FROM 2000 TO 10000 kg
- 3m SHIELDED CONNECTION CABLE

TECHNICAL FEATURES

- nLC: 4000
- Y: 12000(compression, $Y=E_{max}/V_{min}$)
- Y: 9500(tension, $Y=E_{max}/V_{min}$)
- Cn: 2,4 mV/V
- Input: 1000 +/- 20 Ohm
- Output: 1000 +/- 5 Ohm
- Excitation: 1...10Vdc
- Safe Overload: 120%

DETAIL 1



VERSIONS

Available versions

Codice	Max (kg)
STU2000-1KD	2000
STU5000-1KD	5000
STU8000-1K	8000
STU10000-1KD	10000

COVENTRY SCALE COMPANY



COVENTRY SCALE COMPANY LTD

BARKERS BUTTS LANE 137 - CV61EB - COVENTRY - UNITED KINGDOM

Tel. 0044-2476-593500

Fax. 044-2476-601239

E-mail info@coventryscale.co.uk

Web www.coventryscale.co.uk