

WS911

WS911 Screw Weigher



By providing an existing or new-to-build screw conveyor with a screw weigh system, one can easily create an in-line measurement without disturbing the product flow.

Main features

- Creates an in-line measurement without disturbing the product flow
- Inlet and outlet are mechanically isolated with flexible connection
- Dust closed design, dust-free

Screw Weigher Specifications

,	Weigh frame: Powder coated steel frame, stainless steel available Fixed frame with frictionless pivots and load cell carrier Screw conveyor mounted in load cell carrier and the pivots
	Mounting: Six bolts
	Load Cell: Stainless steel, IP67
	Accuracy Guidelines: Consult
	Junction Box: JBW shockproof reinforced polycarbonate, IP66 Four- or six-wire load cell cable
	Speed Pick-up: Model SPU5020 or SPU5026 Mounted directly on axle end
	Indicator: WE503D
	Warranty: One-year limited warranty

For more information

• Contact us at:

bulkmaterial@diniargeo.com

DETAIL 1 DETAIL 2







COVENTRY SCALE COMPANY LTD
UNIT 8, SPITFIRE CLOSE - CV5 6UR - COVENTRY

Tel. 0044-2476-593500 Fax. 044-2476-601239

E-mail info@coventryscale.co.uk Web www.coventryscale.co.uk